


Wall and Ceiling lamps Protection class IP 54 for fluorescent lamps TC-S/TC-L/TC-F stainless steel with mounting plate opal coated plane glass

Artno.	Lamp	Base	Material	
696153	1 x TC-F 18 W	2G10	stainless steel	
696136	2 x TC-S 9 W	G23	stainless steel	Щ
696137	3 x TC-S 11 W	G23	stainless steel	
696215	2 x TC-L 24 W	2G11	stainless steel	Щ




Wall and Ceiling lamps Protection class IP 54 for fluorescent lamps TC-S/TC-L/TC-F stainless steel with mounting plate opal coated plane glass

Artno.	Lamp	Base	Material	
696154	1 x TC-F 18 W	2G10	stainless steel	
696134	2 x TC-S 9 W	G23	stainless steel	H
696135	3 x TC-S 11 W	G23	stainless steel	
696216	2 x TC-L 24 W	2G11	stainless steel	Щ

Protection class IP 54 for fluorescent lamps TC-S/TC-L/TC-F stainless steel

with mounting plate opal coated plane glass




Artno.	Lamp	Base	Material	
696152	1 x TC-F 18 W	2G10	stainless steel	Ī
696132	2 x TC-S 9 W	G23	stainless steel	
696133	3 x TC-S 11 W	G23	stainless steel	
696214	2 x TC-L 24 W	2G11	stainless steel	Ħ


420 ..6214

Wall and Ceiling lamps Protection class IP 54 for fluorescent lamps TC-S

stainless steel with mounting plate opal coated plane glass











Artno.	Lamp	Base	Material	
696151	1 x TC-S 11 W	G23	stainless steel	
696150	2 x TC-S 11 W	G23	stainless steel	



Wall and Ceiling lamp Protection class IP 44 for fluorescent lamps TC-S stainless steel with mounting plate opal coated glass

Artno.	Lamp	Base	Material	
Wall and	Ceiling lamp			
696203	1 x TC-S 11 W	G23	stainless steel	Щ



Wall and Ceiling lamp


Protection class IP 44 for tungsten halogen lamps QT-DE 12

stainless steel

with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp	Base	Material
Wall and	Ceiling lamp		
696115	1 x QT-DE 12 60 W	R7s	stainless steel



Wall and Ceiling lamp

Protection class IP 44

for tungsten halogen lamps QT-DE 12

stainless steel

with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp	Base	Material
Wall and	Ceiling lamp		
696117	1 x QT-DE 12 60 W	R7s	stainless steel





#### Wall lamps

696166

2 x TC-D 18 W

with double-sided light output

Protection class IP 44 for tungsten halogen lamps QT 14 respectively fluorescent lamps TC-D stainless steel with mounting plate made of cast aluminium opal coated glass

■ On request available with one-sided light output







	300	105
S.		
105		
	6165	



Artno.	Lamp	Base	Material
for tungs	ten halogen lamps		
696164	1 x QT 14 60 W	G9	stainless steel
for fluore	escent lamps		
696165	1 x TC-D 26 W	G24d-3	stainless steel

G24d-2

stainless steel






Wall and Ceiling lamp Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
Wall and	Ceiling lamp			$\cap$ $\mathbb{I}$
696205	1 x A 60 75 W	E27	stainless steel	<b>∀→</b> ₽





Wall and Ceiling lamp

Protection class IP 44 for fluorescent lamps TC-S stainless steel with mounting plate opal coated glass

Artno.	Lamp	Base	Material	
Wall and	Ceiling lamp			
696200	1 x TC-S 11 W	G23	stainless steel	Ħ





Wall and Ceiling lamp

Artno. Lamp	Dasc	Material	
Wall and Ceiling lamp			$\cap$ $\mathbb{I}$
696131 2 x A 60 75 W	E27	stainless steel	₩→₽



Wall lamp

Protection class IP 44

for tungsten halogen lamps QT 14

with double-sided light output

stainless steel with mounting plate made of

cast aluminium opal coated plane glass

On request available with one-sided light output

	205
105	
06	

..6146

Artno.	Lamp	Base	Material
for tungs	ten halogen lamps		
696146	1 x QT 14 60 W	G9	stainless steel

Wall lamp

Protection class IP 44

for tungsten halogen lamps QT-DE 12

with double-sided light output

stainless steel

with mounting plate made of

cast aluminium opal coated plane glass

On request available with one-sided light output

9	ī	ш	ı	
9	п			

Stainless steel lamps

Artno.	Lamp	Base	Material	
for tungs	ten halogen lamps			
696142	1 x QT-DE 12 60 W	R7s	stainless steel	





Protection class IP 44 for fluorescent lamps TC-D

with double-sided

stainless steel

light output


with mounting plate made of

cast aluminium


opal coated plane glass

On request available with one-sided light output

Artno.	Lamp	Base	Material	
for fluores	scent lamps			
696143	1 x TC-D 26 W	G24d-3	stainless steel	Ē








Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp					$\cap$ $\mathbb{I}$
696109	1 x A 60	75 W	E27	stainless steel	<b>₽→</b>





Wall lamps

for incandescent lamps A 60 with/without integra- stainless steel

ted movement detector with r


or with mounting plate made of cast aluminium

Protection class IP 44

opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp	with mo	vement	detector		
696188	1 x A 60	75 W	E27	stainless stee	
Wall lamp					
696187	1 x A 60	75 W	E27	stainless stee	ŗ∤→₽





Wall and Ceiling lamp

Artno. Lamp	Base	Material
Wall and Ceiling lamp		
696193 1 x A 60 75 W	E27	stainless steel





Wall lamps

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass


■ These lamps are available on request with a movement detector.

280
180
200
6179






Artno.	Lamp	Base	Material	
696179	1 x A 60 75 W	E27	stainless steel	$\cap$ $\mathbb{I}$
696180	1 x A 60 75 W	E27	stainless steel	₽→₽






#### Wall and Ceiling lamp

Artno. Lamp	Base	Material	
Wall and Ceiling lamp			$\bigcirc$ $\blacksquare$
696092 1 x A 60 75 W	E27	stainless steel	<b>∀→</b> ₽







Wall lamps Pedestal lamp Bollard lamp

Protection class IP 44 for tungsten halogen lamps QT 14 stainless steel with mounting plate made of cast aluminium borosilicate glass











ø 110 ..2244

Artno.	Lamp	Base	Material
Wall lamps	5		
690204	1 x QT 14 40 W	G9	stainless steel
690205	1 x QT 14 40 W	G9	stainless steel
690206	2 x QT 14 40 W	G9	stainless steel
690208	2 x QT 14 40 W	G9	stainless steel
Pedestal la	mp		
690557	1 x QT 14 40 W	G9	stainless steel
Bollard lan	пр		
692244	1 x QT 14 40 W	G9	stainless steel








Wall lamps

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
696097	1 x A 60 75 W 1 x A 60 75 W	E27	stainless steel	$\cap$ $\mathbb{I}$
696098	1 x A 60 75 W	E27	stainless steel	





Wall lamp

with integrated movement detector


Artno.	Lamp	Base	Material
696140	1 x A 60 75 W	E27	stainless steel





Wall lamps Pedestal Bollard lamp

Protection class IP 44 for energy saving lamps TC-DSE stainless steel with mounting plate made of cast aluminium opal coated glass

For installation on a wall, on a foundation or on the sunk pedestal 690010.









..2068










Artno.	Lamp	Base	Material	
Wall lam	os			
690251	1 x TC-DSE max. 20 W	E27	stainless steel	
690258	1 x TC-DSE max. 20 W	E27	stainless steel	8
Pedestal I	amp			$\overline{\mathbb{I}}$
690559	1 x TC-DSE max. 20 W	E27	stainless steel	7
Bollard la	mp			$\square$
692068	1 x TC-DSE max. 20 W	E27	stainless steel	



Wall lamps

Protection class IP 44 for fluorescent lamps TC-S resp. tungsten halogen lamps QT 14 stainless steel with mounting plate made of cast aluminium 690635 acrylic hollow glass 690252 borosilicate glass

Artno.	Lamp	Base	Material	
for fluore	scent lamps			
690635	1 x TC-S 11 W	G23	stainless steel	Щ
for tungs	ten halogen lamps			
690252	2 x QT 14 40 W	G9	stainless steel	











Wall lamp Pedestal lamp Bollard lamp

Protection class IP 44 for energy saving lamps TC-DSE stainless steel acrylic glass satiné

Art.-no. Lamp Base Material Wall lamp 690214 1x TC-DSE max. 20 W E27 stainless steel Pedestal lamp 1x TC-DSE max. 20 W 690506 E27 stainless steel **Bollard lamp** 692044 1x TC-DSE max. 20 W E27 stainless steel





#### Wall and Bollard lamp

692272

Protection class IP 44 for energy saving lamps TC-DSE stainless steel with mounting plate acrylic and opal coated glass

For installation on a wall, on a foundation or on the sunk pedestal 690010.



stainless steel

1 x TC-DSE max. 20 W








..6178

Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
Wall lam	р			$\cap$ $\mathbb{I}$
696178	1 x A 60 75 W	E27	stainless steel	<b>∀→</b> ₽





Wall lamp

Wall lamp	
696217 1 x A 60 75 W E2	7 stainless steel






Wall and Bollard lamps

Protection class IP 44 for incandescent lamps A 60

stainless steel with mounting plate opal coated glass

For installation on a wall, on a foundation or on the sunk pedestal 690010.

Artno.	Lamp	Base	Material	
Wall lam	р			
690256	1 x A 60 75 W	E27	stainless steel	<b>A→ B</b>
Bollard la	ımp			
692265	1 x A 60 75 W	E27	stainless steel	<b>₽→</b>






Stainless steel Iamps


**Bollard lamp** 

Protection class IP 44 for incandescent lamps A 60

stainless steel with mounting plate opal coated glass

Artno.	Lamp	Base	Material	
Bollard la	amp			
692264	1 x A 60 75 W	E27	stainless steel	





Wall lamps Protection class IP 44
for incandescent lamps A 60
stainless steel
with/without integrated movement detector cast aluminium
opal coated glass



Artno.	Lamn		Base	Material	
		1010001010	2030	Widterial	
vvaii iami	p with mov	vemen	detector		
696101	1 x A 60	75 W	E27	stainless steel	
Wall lam	ps				
696060	1 x A 60	75 W	E27	stainless steel	$\cap$ $\mathbb{I}$
696059	1 x A 60	75 W	E27	stainless steel	<b>A→ B</b>






Wall and Bollard lamp Protection class IP 44 for incandescent lamps A 60

stainless steel with mounting plate opal coated glass

For installation on a wall, on a foundation or on the sunk pedestal 690010.

Artno.	Lamp	Base	Material	
Wall lam	р			$\cap$ $\mathbb{I}$
690254	1 x A 60 75 W	E27	stainless steel	
Bollard la	amp			$\bigcirc$ $\blacksquare$
692263	1 x A 60 75 W	E27	stainless steel	






Wall and Bollard lamp

Protection class IP 44 for incandescent lamps A 60

stainless steel
with mounting plate
opal coated glass

For installation on a wall, on a foundation or on the sunk pedestal 690010.

Artno.	Lamp	Base	Material	
Wall lamp	)			
690601	1 x A 60 75 W	E27	stainless steel	
Bollard la	mp			$\bigcirc$ . $\blacksquare$
692226	1 x A 60 75 W	E27	stainless steel	




Wall and Bollard lamp


Protection class IP 44 for incandescent lamps A 60

stainless steel opal coated glass

Artno.	Lamp	Base	Material	
Wall lam	0			$\cap$ $\mathbb{I}$
690658	1 x A 60 75 W	E27	stainless steel	
Bollard la	mp			
692036	1 x A 60 75 W	E27	stainless steel	<b>∀→ ₽</b>








#### Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp					$\cap$ $\blacksquare$
696058	1 x A 60	75 W	E27	stainless steel	<b>₽</b>

Stainless steel lamps






#### Wall and Ceiling lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
Wall and	Ceiling lamp			$\cap$ $\mathbb{I}$
696191	1 x A 60 75 W	E27	stainless steel	<b>∀→</b> ₽





#### Wall and Ceiling lamp

Artno.	Lamp	Base	Material	
Wall and	Ceiling lamp			$\cap$ $\mathbb{I}$
696025	1 x A 60 75 W	E27	stainless steel	₽→₽




Wall lamp Pedestal lamp Bollard lamp

Protection class IP 44 for fluorescent lamps TC-D stainless steel


with mounting plate (except ..0687)


acrylic hollow glass

Artno.	Lamp	Base	Material	
Wall lam	0			
690687	1 x TC-D 18 W	G24d-2	stainless steel	Ä
Pedestal I	amp			
690551	1 x TC-D 18 W	G24d-2	stainless steel	Ħ
Bollard la	mp			
692219	1 x TC-D 18 W	G24d-2	stainless steel	Ħ









Wall lamp Pedestal lamp Bollard lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate opal coated glass

Artno.	Lamp	Base	Material
Wall lamp			$\cap$ $\mathbb{I}$
690216	1 x A 60 75 W	E27	stainless steel
Pedestal la	mp		
690500	1 x A 60 75 W	E27	stainless steel
Bollard lan	np		
692256	1 x A 60 75 W	E27	stainless steel








Wall and **Bollard lamp**  Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate opal coated glass

Artno.	Lamp	Base	Material	
Wall lam	р			
690237	1 x A 60 75 W	E27	stainless steel	₩ → ₽
Bollard la	ітр			$\bigcirc$ . $\blacksquare$
692257	1 × A 60 75 W	F27	stainless steel	$\bigvee \rightarrow \Box$










Wall lamps Pedestal lamp Bollard lamp


Protection class IP 44 for fluorescent lamps TC-D respectively TC-S stainless steel with mounting plate (except ..0627) acrylic hollow glass








Artno.	Lamp	Base	Material	
Wall lam	ps			
690627	1 x TC-D 18 W	G24d-2	stainless steel	
690629	2 x TC-S 9 W	G23	stainless steel	Ä
Pedestal	lamp			
690550	1 x TC-D 18 W	G24d-2	stainless steel	
Bollard la	ımp			
692213	1 x TC-D 18 W	G24d-2	stainless steel	Ä























#### Wall lamp

with integrated movement detector

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base	Material
Wall lamp	with movement det	ector	
696141	1 x A 60 75 W	E27	stainless steel





#### Wall lamp

Artno.	Lamp	Base	Material
Wall lamp	)		
696010	1 x A 60 75 W	E27	stainless steel



Wall lamps Pedestal lamp **Bollard lamps** 

with/without downlight stainless steel with/without integra-

Protection class IP 44 for incandescent lamps A 60 respectively for additional pressed glass reflector lamp PAR 20 with mounting plate made of ted movement detector cast aluminium (only ..6119)


> For installation on a wall, on a foundation or on the sunk pedestal 690010.

opal coated glass



Artno.	Lamp		Base	Material	
Wall lamp	os				
696119	1 x A 60	75 W	E27	stainless steel	$\bigcirc$ . $\blacksquare$
690239	1 x A 60	75 W	E27	stainless steel	
Wall lamp	with do	vnlight P	AR 20	50 W	$\bigcirc$ , $\blacksquare$
690243	1 x A 60	75 W	E27	stainless steel	
Wall lamp	with mo	vement d	letector		
690241	1 x A 60	75 W	E27	stainless steel	
Pedestal I	amp				$\bigcirc$ , $\blacksquare$
690505	1 x A 60	75 W	E27	stainless steel	<b>A</b> → <u></u>
Bollard la	mp (with	out pictu	re)		$\bigcirc$ . $\blacksquare$
692246	1 x A 60	75 W	E27	stainless steel	<b>A</b> → <b>B</b>
Bollard la	mp with r	novemen	t detect	or	
692011	1 x A 60	75 W	E27	stainless steel	





Wall lamps

with/without integra-

Protection class IP 44


for incandescent lamps A 60

stainless steel

ted movement detector with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
Wall lamp	with movement	detector		
690209	1 x A 60 75 W	E27	stainless steel	
Wall lamp				
690691	1 x A 60 75 W	E27	stainless steel	3



Wall lamps

Protection class IP 44

for incandescent lamps A 60

with/without integra- stainless steel

ted movement detector with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp	with mo	vement	detector		
696102	1 x A 60	75 W	E27	stainless steel	
1A/- II I					m
Wall lamp					
696061	1 x A 60	75 W	E27	stainless steel	A _ A







#### Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp	Base	Material	
Wall lam	0			$\cap$ $\mathbb{I}$
696118	1 x A 60 75 W	E27	stainless steel	



#### Pedestal and Bollard lamp

Protection class IP 44 for incandescent lamps A 60

stainless steel

with mounting plate made of

cast aluminium opal coated glass

For installation on a foundation or on the sunk pedestal 690010.

Artno.	Lamp	Base	Material	
Pedestal I	amp			$\cap$ $\mathbb{I}$
690555	1 x A 60 75 W	E27	stainless steel	
Bollard la	mp			$\bigcirc$ , $\blacksquare$
692233	1 x A 60 75 W	E27	stainless steel	A - A



#### Pedestal and Bollard lamp

Protection class IP 44 for incandescent lamps A 60


stainless steel


with mounting plate made of

cast aluminium opal coated glass

Artno.	Lamp	Ва	se Mater	ial
Pedestal I	amp			
690553	1 x A 60	100 W E2	7 stainle	ess steel
Bollard la	mp			
692223	1 x A 60	100 W E2	7 stainle	ss steel








#### Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp					$\cap$ $\mathbb{I}$
696123	1 x A 60	75 W	E27	stainless steel	<b>A→ B</b>







#### Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp					$\cap$ $\mathbb{I}$
696124	1 x A 60	75 W	E27	stainless steel	<b>∀→</b> ₽





#### Wall lamp

Protection class IP 44 for pressed glass reflector lamps PAR 20 stainless steel with mounting plate blown glass clear

Artno.	Lamp	Base	Material
Wall lamp	for pressed glass reflec	tor lamp	)S
690207	1 x PAR 20 50 W	E27	stainless steel




#### Wall lamp

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of

cast aluminium

opal coated glass





Artno.	Lamp	Base	Material	
Wall lam	0			$\cap$ $\mathbb{I}$
690220	1 x A 60 75 W	E27	stainless steel	₩ → ₽

Wall lamp


Protection class IP 44

for tungsten halogen lamps QT-DE 12

stainless steel

with mounting plate made of

cast aluminium opal coated glass





Artno.	Lamp	Base	Material
Wall lam	)		
696122	1 x QT-DE 60 W	R7s	stainless steel

#### Wall and **Bollard lamp**

Protection class IP 44

for tungsten halogen lamps QT 14

stainless steel

with mounting plate made of


cast aluminium


opal coated plane glass

For installation on a wall or on a

foundation.

Artno.	Lamp	Base	Material
Wall lam	р		
690228	1 x QT 14 75 W	G9	stainless steel
Bollard la	ımp		
692250	1 x QT 14 75 W	G9	stainless steel





Wall lamps


Protection class IP 44

for incandescent lamps A 60

with/without integrated movement detector

stainless steel opal coated glass

Artno.	Lamp		Base	Material	
Wall lamp	with mo	vement det	ector		
696127	1 x A 60	75 W	E27	stainless steel	
Wall lamp					$\bigcirc$
696112	1 x A 60	75 W	E27	stainless steel	A -> F



Wall and Ceiling lamps

Protection class IP 44 for incandescent lamps A 60 stainless steel with mounting plate made of cast aluminium opal coated glass

Artno.	Lamp	Base Material
696175	1 x A 60 75 W	E27 stainless steel
696174	1 x A 60 75 W	E27 stainless steel





Wall and Ceiling lamp

Protection class IP 44

for tungsten halogen lamps QT-DE 12

stainless steel

with mounting plate made of

cast aluminium opal coated glass

■ With adhesive foil 660034 available.

Artno.	Lamp	Base	Material
696022	1 x QT-DE 12 60 W	R7s	stainless steel


## **O**albert

### House number lamp

Protection class IP 44 for fluorescent lamps TC-S stainless steel custom-made house number opal coated glass

■ For the order please give us the house number.

Artno.	Lamp	Base	Material	
Wall lam	)			
696017	1 x TC-S 5/7 W	G23	stainless steel	Ē






### House number lamps

Protection class IP 44 for fluorescent lamps TC-S stainless steel

with/without integrated twilight switch custom-made house number with mounting plate made of cast aluminium

opal coated glass

■ For the order please give us the house number.












Artno.	Lamp	Base	Material	
Wall lam	os			
696002	1 x TC-S 5/7 W	G23	stainless steel	
696001	1 x TC-S 5/7 W	G23	stainless steel	Ē
Wall lamp with twilight switch				
696003	1 x TC-S 5/7 W	G23	stainless steel	Ħ.
























House number lamps

with LED

Protection class IP 44 with LED, lightcolour white inclusive converter connection directly 230 V, 50 Hz stainless steel custom-made house number lettering height: 100 mm

■ For the order please give us the house number.

-no.	Lamp	Power	Material	
000	LED	1,0 W	stainless steel	
800	LED	1,2 W	stainless steel	LED
009	LED	1,5 W	stainless steel	



Wall recessed lamps

Protection class IP 54 for fluorescent lamps TC-D cast aluminium and stainless steel white macrolon

insert hole:

691906: 180 x 86 x 100 mm 691907: 260 x 86 x 100 mm

Artno.	Lamp	Base Material
691906	1 x TC-D 10/13 W	G24d-1 stainless steel
691907	1 x TC-D 18 W	G24d-2 stainless steel